Deutsche Sauna-Akademie®	**Deutsche Sauna-Akademie**
Titel	Can You Stay Too Long in a Sauna?
Subtitel	Heat storage, fluid loss, circulatory strain, warning signs and why maximum tolerance is not the goal
Author	Dr. Karsten Gröning
Published by	International Sauna Academy | Sauna Library

Short answer: Yes. Sauna heat is a physiological stressor, and the body's ability to compensate is finite. As exposure continues, heat storage increases, core temperature rises, sweating removes water and electrolytes, and the cardiovascular system must maintain blood pressure while sending large amounts of blood to the skin. A duration that is comfortable and well tolerated early in a session can become excessive as heat accumulates. There is no universal minute at which every sauna becomes 'too long', because thermal dose depends on temperature, radiation, humidity, Aufguss, air movement, posture, hydration, previous heat exposure and individual physiology. Warning signs such as dizziness, nausea, unusual weakness, headache, confusion, loss of coordination, chest discomfort or impending fainting mean that the heat exposure should end. The objective of health-oriented sauna bathing is a controlled, recoverable heat stimulus—not staying until the body can no longer compensate.

The question sounds simple: how long can a person safely remain in a sauna? But duration is only one component of thermal dose. Ten minutes in one sauna can impose a very different physiological load from ten minutes in another.

The more useful safety question is therefore not 'How many minutes are allowed?' but 'How much heat is the body storing, how well is it compensating, and are signs of excessive strain appearing?'

> **Time matters because heat accumulates. But time alone does not define the dose.**

Why does thermal strain increase with time?

When the body enters a hot sauna, heat transfer toward the skin increases and the body's own metabolic heat production continues. Skin temperature rises rapidly. Core temperature rises more slowly because the body has substantial thermal mass.

As exposure continues, however, heat that cannot be dissipated is stored in the body. Core temperature therefore progressively increases. The longer the exposure continues under otherwise similar conditions, the greater the opportunity for cumulative heat storage.

This is why a sauna that feels comfortable during the first minutes can become increasingly demanding without any change in the thermostat.

What determines heat storage?

Whole-body heat storage reflects the balance between heat gained and heat lost. In sauna, convective and radiant heat can enter the body while evaporation of sweat removes heat.

Temperature is only one variable. Mean radiant temperature, water-vapour pressure, air movement, Aufguss, bench height, body position, clothing or towels, skin wettedness and the effectiveness of evaporation all influence net heat transfer.

A humid Aufguss can sharply increase perceived and physiological heat load without a meaningful rise in the air-temperature reading.

What happens to core temperature?

Core temperature generally rises during sauna exposure. The magnitude depends on the protocol and individual. In classic repeated 60-minute exposures at 80 °C, rectal temperature increased by approximately 0.8–1.1 °C in healthy men [1]. Such experimental exposures are not a recommendation for routine sauna duration; they demonstrate how substantial heat storage can become with prolonged heating.

A recent far-infrared experiment at 65 °C found that 45 minutes of exposure raised rectal temperature by an average of 1.4 °C in healthy adults, with increases evident from about 20 minutes onward [2].

Different sauna types cannot be compared by duration alone, but both examples illustrate the same principle: core temperature continues to respond as heat exposure is prolonged.

Why does the body not simply sweat enough to prevent overheating?

Sweating is powerful but not unlimited. Sweat cools only when it evaporates. In dry conditions, evaporation can remove substantial heat; as water-vapour pressure rises, the evaporation gradient decreases.

Sweat that remains on the skin or drips from the body still removes fluid but contributes less evaporative cooling. At the same time, hot air and radiant surfaces continue to transfer heat toward the body.

The body can therefore sweat heavily and still continue to store heat.

> **Sweating is evidence that thermoregulation is working. It is not proof that heat balance has been achieved.**

What happens to fluid balance?

Sweating progressively reduces body water. Sauna studies commonly show measurable acute body-mass loss, largely representing fluid loss. In one classic study, repeated one-hour exposures at 80 °C produced losses of approximately 0.7–0.9 kg per exposure [1].

Fluid is redistributed between body compartments, thirst increases and hormonal mechanisms act to conserve water and electrolytes. Nevertheless, prolonged or repeated exposure without adequate replacement can reduce plasma volume.

A review of sauna fluid balance concluded that sauna-induced fluid loss is usually not severe under ordinary conditions but should be replaced appropriately, particularly when sauna follows heavy physical activity [3].

Why does reduced plasma volume matter?

The cardiovascular system already has a difficult task in the sauna. Skin vessels dilate and a large blood flow is directed toward the body surface. At the same time, sweating removes fluid from the circulation.

As central blood volume and venous return become more difficult to maintain, heart rate may rise further to support cardiac output. This combination of vasodilation, relative hypovolaemia and heat stress can contribute to dizziness, weakness or fainting.

Prolonged heat therefore adds circulatory strain even when the sauna temperature remains unchanged.

What happens to heart rate?

Heart rate normally rises during sauna as cardiac output increases to support skin blood flow. The response depends on thermal dose, posture, hydration and individual cardiovascular regulation.

Classic Finnish work describes the circulatory response as dependent on both intensity and duration of heat exposure [4]. Longer exposure gives the cardiovascular system more time to accumulate thermal and fluid stress.

A rising pulse is therefore expected, but an unusually rapid pulse accompanied by weakness, dizziness, chest discomfort or other symptoms should not be treated as a target to overcome.

What happens to blood pressure?

Heat-induced vasodilation lowers peripheral vascular resistance, while increased cardiac output helps maintain arterial pressure. As heating continues and fluid loss progresses, compensation can become less effective.

Blood pressure responses vary among individuals. Some people experience post-sauna hypotension or orthostatic symptoms, especially when standing abruptly after prolonged heating.

This variability is one reason a fixed time limit cannot guarantee safety for every person.

Why can standing up be the critical moment?

A person sitting quietly may feel reasonably stable while peripheral vessels are dilated. Standing suddenly adds gravitational pooling in the legs and can reduce venous return.

If heat has already reduced vascular resistance and sweating has reduced circulating volume, the additional orthostatic challenge can briefly compromise cerebral perfusion. Light-headedness or near-fainting may result.

The final minute in the sauna is therefore not always the moment of greatest practical risk; the transition out of it can reveal how much circulatory reserve remains.

What are early warning signs?

There is no single symptom that defines excessive sauna exposure, but several signs should be taken seriously: increasing dizziness, nausea, unusual weakness, headache, visual disturbance, palpitations accompanied by discomfort, loss of coordination, a feeling of impending fainting or a sudden inability to tolerate the heat.

These are not achievements to be endured. They indicate that the thermal exposure should end and recovery should begin.

Chest pain, severe shortness of breath, fainting, confusion, seizures or persistent altered mental status require urgent medical assessment.

Why is confusion especially important?

Heat illness becomes dangerous when central nervous system function is impaired. Heat stroke is classically characterised by severe hyperthermia together with neurological dysfunction such as confusion, collapse, seizures or coma.

Rare but severe sauna-associated heat-stroke cases demonstrate that prolonged exposure can progress to multiorgan injury [5–7]. These case reports do not describe ordinary sauna bathing, but they show why altered consciousness during heat exposure is an emergency rather than an extreme form of relaxation.

> **Confusion, collapse or loss of consciousness in a hot environment is not 'too much sauna'. It is a medical emergency.**

Can sauna really cause heat stroke?

Yes, although it is rare in correctly practised sauna bathing. Prolonged exposure, inability to leave the heat, alcohol, illness, impaired thermoregulation and other vulnerabilities can increase risk.

A 2025 case report described severe non-exertional heat stroke with multiorgan failure after collapse during prolonged sauna use [6]. A 2024 report described fatal heat stroke after more than 30 minutes in an 80 °C sauna in a woman who also had clinically asymptomatic COVID-19 and developed disseminated intravascular coagulation [5].

Such cases should not be used to imply that 30 minutes at 80 °C is universally fatal or that a precise danger threshold has been identified. Case reports show possibility, not a population-level time limit.

Why there is no universal 'maximum safe time'

A maximum time would only make sense if all other determinants of thermal dose were fixed. They are not.

A person on the lower bench of a dry 75 °C sauna receives a different heat load from a person on the upper bench of a 100 °C sauna during repeated Aufguss. A well-hydrated, heat-acclimated healthy adult differs from an older dehydrated person taking medication that affects blood pressure or sweating.

The same person also changes from day to day depending on sleep, illness, alcohol, exercise, hydration and previous sauna rounds.

A universal maximum minute value would therefore create a false sense of precision.

Is this the same question as the ideal sauna duration?

No. 'What is the ideal duration?' asks how long a heat phase should typically last to produce an appropriate, tolerable thermal stimulus. 'Can you stay too long?' asks what happens when exposure exceeds the body's ability to compensate.

For health-oriented sauna bathing, an orientation of approximately 8–12 minutes can be useful under typical conditions, while around 15 minutes is often treated as an upper orientation rather than a biological law. These are practical guide values, not a stopwatch-based safety boundary.

A person may need to leave earlier. Staying longer does not automatically increase benefit.

> **An orientation time helps plan a sauna round. Warning signs overrule the clock.**

Does staying longer produce more health benefit?

There is no evidence that health benefit rises indefinitely with the duration of a single sauna session. Epidemiological studies of habitual sauna use cannot be converted into a rule that longer individual heat exposures are better.

As duration increases, thermal dose increases—but so do fluid loss and circulatory strain. Beyond an appropriate stimulus, additional exposure increasingly represents additional stress rather than proven additional benefit.

Health-oriented sauna bathing therefore avoids using endurance as a quality criterion.

What about experienced sauna users?

Regular heat exposure can produce adaptation. Sweating may begin earlier, plasma volume can expand and heart-rate and core-temperature responses to a standardized heat load may become smaller.

This can make familiar sauna conditions feel easier. But adaptation does not abolish heat storage, dehydration or physiological limits.

Experienced bathers may tolerate a larger dose, yet subjective familiarity can also encourage them to stay longer. Tolerance is not immunity.

Can a strong Aufguss make a previously acceptable duration too long?

Yes. An Aufguss changes the heat-transfer environment. Water vapour increases vapour pressure, reduces evaporative potential and can increase heat transfer at the skin. Fanning further changes convective and mass transfer.

The thermal dose during the final minutes of a strong Aufguss can therefore be very different from the dose during the preceding dry phase.

This is another reason duration should never be interpreted without climate and procedure.

Does the upper bench change the answer?

Yes. Sauna cabins are vertically stratified. Air temperature and radiant conditions generally become more intense higher in the cabin, particularly near the ceiling and hot surfaces.

A person on the upper bench can therefore accumulate heat faster than someone lower down. Moving down a bench can reduce thermal intensity, but it should not be used to postpone leaving when warning symptoms are already present.

What about alcohol?

Alcohol is an important safety factor because it can impair judgement, alter cardiovascular regulation and make it harder to respond appropriately to heat stress.

Historical Finnish forensic data found alcohol in many sauna-associated hyperthermia deaths [8]. This does not mean alcohol is the sole cause of such events, but it strongly supports avoiding substantial alcohol consumption during intense heat exposure.

A person whose judgement is impaired is less able to recognise and act on the very warning signs that make self-regulated sauna bathing safe.

What about illness and medication?

Fever, acute systemic illness, vomiting, diarrhoea and pre-existing dehydration reduce the margin for additional heat stress. Some medications can alter blood pressure, heart rate, sweating, fluid balance or thermal perception.

The relevant issue is not that every medication prohibits sauna. It is that the same external exposure can produce a different internal dose when physiology is altered.

People with unstable cardiovascular disease, recurrent syncope or impaired thermoregulation require individual medical guidance.

Can you compensate by drinking while staying longer?

Drinking can replace fluid, but it does not instantly remove stored body heat. Hydration and thermal balance are related but distinct.

A person can be well hydrated and still become excessively hyperthermic. Conversely, a person can accumulate substantial fluid deficit even when core temperature remains within a tolerable range.

Water is therefore not a licence to extend heat exposure indefinitely.

Can cooling during the session reset the clock?

Adequate cooling between heat phases reduces skin and core temperature and changes the cardiovascular starting point of the next round. It can therefore reduce cumulative thermal load.

But a brief cold sensation is not necessarily complete recovery. Skin temperature can fall much faster than core temperature.

Each new heat phase should be considered in relation to residual heat, heart rate, hydration and subjective recovery—not simply as a fresh independent 10- or 15-minute block.

Why repeated rounds matter

Three moderate heat phases separated by adequate cooling and rest are physiologically different from three phases with minimal recovery. In the latter case, residual heat can accumulate from round to round.

The total sauna visit therefore has a cumulative dose. Duration must be considered both within each heat phase and across the entire sequence.

> **The body does not reset to zero when the sauna door opens.**

What should a professional sauna operator watch for?

Operators should observe behaviour as well as time. A guest who becomes unusually quiet, unsteady, confused, pale, markedly flushed, poorly coordinated or unable to respond normally deserves attention.

Guests should be free to leave at any time. Social pressure, competition and messaging that glorifies endurance are incompatible with health-oriented sauna practice.

A professionally conducted Aufguss should never depend on guests remaining in the cabin despite symptoms.

What is the practical safety principle?

Enter the sauna in a reasonably hydrated and stable condition. Choose a bench and intensity appropriate to experience and health. Leave when the heat has provided a sufficient stimulus—not when tolerance is exhausted.

Cool adequately, rest, replace meaningful fluid losses and begin another heat phase only after recovery.

The most useful safety rule is therefore physiological rather than numerical: the sauna session should remain controlled, voluntary and recoverable.

So, can you stay too long in a sauna?

Yes. As exposure continues, body heat storage, fluid loss and cardiovascular demands increase. Eventually the compensatory systems that make sauna tolerable can be exceeded.

There is no universal minute at which this occurs because thermal dose varies enormously between cabins, procedures and people. Practical orientation times are useful, but symptoms and the total thermal context are more important than the stopwatch.

Leaving earlier is not a failed sauna session. It is successful self-regulation.

> **The endpoint of a good sauna session is sufficient heat—not maximum endurance.**

Conclusion

Sauna safety depends on respecting the cumulative nature of heat exposure. Longer duration generally permits greater heat storage, while sweating progressively removes fluid and cardiovascular compensation becomes more demanding.

The question of excessive duration should therefore be separated from the question of an ideal routine duration. Orientation values can help structure a health-oriented sauna round, but they cannot define an individual safety threshold.

Dizziness, nausea, unusual weakness, headache, loss of coordination, confusion, impending fainting, chest discomfort or severe shortness of breath are reasons to end the exposure. Confusion, collapse, seizures or persistent altered consciousness require urgent medical attention.

The aim is not to discover how long the body can endure the sauna. It is to apply a thermal stimulus from which the body can cool and recover normally.

References

1. Leppäluoto J, Tuominen M, Väänänen A, Karpakka J, Vuori J. Some cardiovascular and metabolic effects of repeated sauna bathing. Acta Physiologica Scandinavica. 1986;128(1):77–81. doi:10.1111/j.1748-1716.1986.tb07952.x. PMID: 3766176.

2. Far-infrared sauna exposure at 65 °C elevates core temperature and evokes thermoregulatory, cardiovascular and haematological strain. Experimental Physiology. 2026. doi:10.1113/EP094028. PMID: 42533687.

3. Ahonen E, Nousiainen U. The sauna and body fluid balance. Annals of Clinical Research. 1988;20(4):257–261. PMID: 3218897.

4. Vuori I. Sauna bather's circulation. Annals of Clinical Research. 1988;20(4):249–256. PMID: 3218896.

5. Nothnagel et al. Death after sauna—case report of a heat stroke associated subarachnoid hemorrhage. Frontiers in Cardiovascular Medicine. 2024. doi:10.3389/fcvm.2024.1476962. PMID: 39660118.

6. McIver WJ, Zia M. Severe heat stroke with multiorgan failure following collapse in a sauna. BMJ Case Reports. 2025;18(1):e262069. doi:10.1136/bcr-2024-262069. PMID: 39773956.

7. Acute Heat Exposure-Related Illness: A Unified Emergency Medicine Framework for Hot Baths, Hot Springs, and Saunas—A Narrative Review. 2026. PMID: 41827327.

8. Kortelainen ML. Hyperthermia deaths in Finland in 1970–86. American Journal of Forensic Medicine and Pathology. 1991;12(2):115–118. doi:10.1097/00000433-199106000-00006. PMID: 1882775.

9. Kauppinen K. Sauna, shower, and ice water immersion. Physiological responses to brief exposures to heat, cool, and cold. Part I. Body fluid balance. Arctic Medical Research. 1989;48(2):55–63. PMID: 2736001.

10. Hannuksela ML, Ellahham S. Benefits and risks of sauna bathing. American Journal of Medicine. 2001;110(2):118–126. doi:10.1016/S0002-9343(00)00671-9.

11. Gröning K. Health-Orientated Sauna Bathing. International Sauna Academy, 2026. Sections on thermal dose, duration, thermoregulation, hydration, cooling and recovery.

Editorial note: This article distinguishes practical orientation times from an individual safety threshold. Case reports of severe heat illness demonstrate possible consequences of excessive exposure but cannot define a universal maximum sauna duration. Individual health, sauna climate, thermal dose and warning symptoms must always be considered.